
HYDS-002




Notice:


- 1. Follow the installation instructions. Please confirm all accessories are preset before installation.
- 2. Do not fully tighten the screws during initial assembly. Fully tighten screws only once all pieces which are correctly assembled.
- 3. If you encounter any problems during installation, please contact our customer service.
- 4. Please unbox the item from the side with an open-label and put a carpet on the floor to avoid scratching it.



Recommended installers:2



Put a carpet on the floor before unpacking




Estimate installation time: 30minutes


PART LIST


Item no.	Reference Image	Qty	Item no.	Reference Image	Qty
A		X1	F		X2
B		X1	G		X2
C		X1	H		X1
D		X2			X1
E		X1	J		X4
			K		X1


HARDWARE LIST


Item no.	Reference Image	Qty	Item no.	Reference Image	Qty
1	Ø8*30mm	X12+1	8		X8
2		X12+1	9	Ø6.5*Ø3*14mm	X48+4
3	Ø1/4*2-1/4"	X9	10		X12+1
4		X8	1		X8
5		X8	12		X1
6		X2	13		X1
7	Ø6.5*Ø3*15mm	X29+3			



































7








7 25pcs














10







Front-to-Back Direction Adjustment:

Rotate the screws on the door hinges shown in the image. The door panel can be moved front-back.

Adjustment range: 4mm

Left-Right Direction Adjustment:

Rotate the screws on the door hinges shown in the image. The door panel can be moved left-right.

2

Adjustment range: 3mm

Up-Down Direction Adjustment:

Rotate the screws on the door hinges shown in the image. The door panel can be moved up-down.

Adjustment range: 4mm



Common Door Panel Issues:

